

Java



Annotation schema

[HOME](#)  [GUIDES](#)  [JAVA](#)  [JSON](#)  [SCHEMA](#)  [FILE ATTACHMENTS](#)

Understanding Instant JSON attachments and schemas



COPY PAGE



Types

This section explains how to use type declarations in Instant JSON records.

The optional keys are specified as follows:

```
{ optionalKey?: value; }
```

To reduce payload size, omit optional keys when their values are undefined.

Attachments

Attachments were added to support syncing annotation attachments across different devices. The keys in `attachments` are the calculated SHA-256 hashes of the attachment or the `pdfObjectId` of the attachment. The binary of the attachment is Base64 encoded.



ASK AI

```
// Example of the Instant JSON schema of an attachments payload with one attachment
{
  "attachments": {
    "9e51e601bb7469be642f0b0d60bbb98aeb631353839ab3bc5a25797dbb74622f": {
      "binary": "iVBORw0KGgoAAAANSUhEUgAAAAEAAAABCAyAAAFfcSJAAAAC0lEQVQYlWNgAAIAA/
      "contentType": "image/png"
    }
  }
}
```

For more information on the annotations Instant JSON schema, refer to the [JSON format schema — annotations](#) guide.

Was this helpful?

☒ YES☐ NO

Copyright 2025 Nutrient. All rights reserved.